| ENBOARD SYSTEMS | Material and Process Specifications | Document Number 146-067-00 | Revision 3 |
|-----------------------|--|-------------------------------|----------------|
| | | Date 03/28/23 | Page 1 of 7 |
| Document Approved By: | Title | Name | Date Approved |
| | Engineering Manager | Jerry Jenkins | 03/28/23 |

1.0 Purpose

- 1.1 This document defines approved revision levels of Material and Process specifications used by Onboard Systems. This list is for supplier reference when performing processes or supplying raw materials. The approved revision levels apply when a specific revision level is not defined by purchase order or engineering drawing.
- 1.2 Also where relevant, newer superseded specifications are listed and considered acceptable substitutions or replacements for older, no-longer current specifications. Onboard Systems will accept certification for specifications listed as superseded when certification for a superseded specification was requested or called out on a drawing.

2.0 **Process Specifications**

| Specification | Description | Approved Revisions |
|---------------------------------|---|-----------------------|
| ASTM A240/A240M | Standard Specification for Chromium and Chromium- Nickle Stainless Steel Plate, Sheet and Strip for Pressure Vessels and for General Applications | -18 or later |
| ASTM A380 | Standard Practice for Cleaning, Descaling and Passivation of Stainless Steel | -99 or later |
| ASTM A435 | Straight-Beam Ultrasonic Examination of Steel Plates | -90 or later |
| ASTM A967 | Standard Specification for Chemical Passivation Treatments for Stainless Steel Parts | -01 or later |
| ASTM E10 | Standard Test Method for Brinell Hardness of Metallic Materials | -01 or later |
| ASTM E18 | Standard Test Method for Rockwell Hardness of Metallic Materials | -05 or later |
| ASTM E74 | Standard Practice of Calibration of Force-measuring Instruments | -02 or later |
| ASTM E1444 | Standard Practice for Magnetic Particle Testing | -05 or later |
| ASTM E1417 | Standard Practice for Liquid Penetrant Inspection | -05 or later |
| ASTM G85 | Standard Practice for Modified Salt Spray Testing | -02 or later |
| AWS D17.1 | Specification for Fusion Welding for Aerospace Applications | 2001 or later |
| J-STD-001 | Requirements for Soldered Electrical and Electronic Assemblies | E or later |
| MIL-A-8625 or MIL-PRF-8625 | Anodic Coatings for Aluminum and Aluminum Alloys | F or later |
| MIL-C-5541 or MIL-DTL-5541 | Aluminum Anti Corrosion Chemical Conversion Coating | E or later |
| MIL-C-81309 or MIL-PRF-81309 | Corrosion Preventive Compound | F or later |

| INTERNATIONAL | Material and Process Specifications | Document Number 146-067-00 | Revision 3 |
|-----------------------|--|-------------------------------|----------------|
| | | Date 03/28/23 | Page 2 of 7 |
| Document Approved By: | Title | Name | Date Approved |
| Document Approved By. | Engineering Manager | Jerry Jenkins | 03/28/23 |

| Specification | Description | Approved Revisions |
|--|--|-----------------------|
| MIL-DTL-81706 | Chemical Conversion Materials for Coating Aluminum and Aluminum Alloys | B or later |
| MIL-DTL-83488 | Aluminum Ion Vapor Deposit | D or later |
| MIL-H-6875 (superseded by AMS-H-6875, AMS 2759/1 and AMS 2759/3) | Heat treatment of steel, Process for | H or later |
| MIL-I-6868 (Superseded by ASTM E1444) | Inspection Process, Magnetic Particle | E or later |
| MIL-I-8950 (superseded by AMS-STD-2154) | Ultrasonic Inspection | B or later |
| MIL-S-13165 (Superseded by AMS-13165) | Shot Peening of Metal Parts | C or later |
| MIL-STD-130 | Identification of US Military Property | L or later |
| MIL-STD-1537 | Electrical Conductivity Test for Verification of Heat Treatment of Aluminum Alloys, Eddy Current Method | C or later |
| MIL-STD-1907 | Inspection, Liquid Penetrant And Magnetic Particle, Soundness Requirements For Materials, Parts, And Weldments | A or later |
| MIL-STD-1949 (superseded by ASTM E1444) | Inspection, Magnetic Particle | A or later |
| MIL-STD-2219 (Superseded by AWS D17.1) | Fusion Welding for Aerospace Applications | A or later |
| MIL-I-6866 (superseded by ASTM E1417) | Penetrant Inspection | A or later |
| QQ-P-35 (Superseded by AMS-QQ-P-35) | Passivation Treatments For Corrosion-Resistant Steel | B or later |
| QQ-P-416 (Superseded by AMS-QQ-P- 416) | Plating, Cadmium | F or later |
| AMS-QQ-P-35 | Passivation Treatments for Corrosion Resistant Steel | A or later |
| AMS 2404 | Plating, Electroless Nickel | F or later |
| AMS 2417 | Plating, Zinc-Nickel Alloy | H or later |
| AMS 2430 | Shot Peening | S or later |
| AMS 2460 | Plating, Chromium | A or later |
| AMS 2658 | Hardness and Conductivity Inspection of Wrought Aluminum Alloy | C or later |
| AMS 2700 | Passivation of Corrosion Resistant Steels | E or later |

| ENBOARD SYSTEMS | Material and Process Specifications | Document Number 146-067-00 | Revision 3 |
|-----------------------|--|-------------------------------|----------------|
| | | Date 03/28/23 | Page 3 of 7 |
| Document Approved By: | Title | Name | Date Approved |
| | Engineering Manager | Jerry Jenkins | 03/28/23 |

| Specification | Description | Approved Revisions |
|---------------|---|-----------------------|
| AMS 2770 | Heat Treatment of Wrought Aluminum Alloy Parts | J or later |
| AMS 2759/1 | Heat Treatment of Carbon and Low-Alloy Steel Parts | E or later |
| AMS 2759/3 | Heat Treatment Precipitation-Hardening Corrosion- Resistant and Maraging Steel Parts | E or later |
| AMS-C-26074 | Coatings, Electroless Nickel Requirements for | D or later |
| AMS-H-6875 | Heat Treatment of Steel Raw Materials | A or later |
| AMS-QQ-C-320 | Chromium Plating | B or later |
| AMS-QQ-P-416 | Cadmium Plating | C or later |
| AMS-STD-2154 | Ultrasonic Inspection | A or later |

3.0 Material Specifications

| Specification | Description | Approved Revision |
|--|--|----------------------|
| ASTM A108 | Steel Bars, Carbon and Alloy, Cold-Finished | -13 or later |
| ASTM A213 | Seamless Ferritic and Austenitic Alloy-Steel Tube | -15 or later |
| ASTM A269 | Seamless and Welded Austenitic Stainless Steel Tubing | -15 or later |
| ASTM A322 | Steel Bars, Alloy, Standard Grades | -13 or later |
| ASTM A331 (superseded by ASTM A108) | A8620 Steel Bar | -95 or later |
| ASTM A582 | Free-Machining Stainless Steel Bars | -12 or later |
| ASTM A682 (superseded by A684) | Steel, Strip, High-Carbon, Cold-Rolled | -15 or later |
| ASTM B36 | Brass Plate, Sheet, Strip, and Rolled Bar | -13 or later |
| ASTM-B124M | Aluminum Nickel Bronze (bars, rods, shapes, tubes, forging) drawn and stress relieved of temper annealed | -16 or later |
| ASTM-B150/B | Aluminum Nickel Bronze (bars, rods, shapes, tubes, forging) drawn and stress relieved of temper annealed | -12 or later |
| ASTM-B169/B B169M | Aluminum Nickel Bronze (bars, rods, shapes, tubes, forging) drawn and stress relieved of temper annealed | -05 or later |

| | Material and Process Specifications | Document Number 146-067-00 | Revision 3 |
|-----------------------|--|-------------------------------|----------------|
| | | Date 03/28/23 | Page 4 of 7 |
| Document Approved By: | Title | Name | Date Approved |
| Document Approved By. | Engineering Manager | Jerry Jenkins | 03/28/23 |

| Specification | Description | Approved Revision |
|--|--|----------------------|
| ASTM B209 | Aluminum and Aluminum-Alloy Sheet and Plate | -14 or later |
| ASTM B210 | Aluminum and Aluminum-Alloy Drawn Seamless Tubes | -12 or later |
| ASTM B221 | Aluminum and Aluminum-Alloy Extruded Bars, Rods, Wire, Profiles, and Tubes | -14 or later |
| ASTM B283 | Aluminum Nickel Bronze (bars, rods, shapes, tubes, forging) drawn and stress relieved of temper annealed | -14 or later |
| ASTM B505 | Copper Alloy Continuous Castings | -14 or later |
| MIL-DTL-27500 | | |
| (Superseded by NEMA- WC27500) | Cable, Power, Electrical and Cable Special Purpose | F or later |
| MIL-G-23827 | | C or later |
| (Superseded by MIL-PRF- 23827) | Grease, Aircraft and Instrument, Gear and Actuator Screw | |
| MIL-I-46852 (Superseded by A-A-59163) | Insulation Tape, Self Adhering | C or later |
| MIL-P-23377, MIL-PRF-23377 | Primer Coatings: Epoxy, High Solids | J or later |
| MIL-P-8585 (Superseded by TT-P-1757) | Primer Coating, Zinc Chromate | A or later |
| MIL-PRF-23827 | Grease, Aircraft and Instrument, Gear and Actuator Screw | C or later |
| MIL-S-5626 | | |
| (superseded by AMS 6382 and AMS 6349) | 4140 Alloy Steel, Bars, Rods, and Forging Stock | C or later |
| MIL-S-6758 | Steel, Chrome-Molybdenum (4130) Bars And | |
| (Superseded by AMS-S-6758) | Reforging Stock (Aircraft Quality) | B or later |
| MIL-S-81733, MIL-PRF-81733 | Sealing and Coating Compound | D or later |

| INTERNATIONAL | Material and Process Specifications | Document Number 146-067-00 | Revision 3 |
|-----------------------|--|-------------------------------|----------------|
| | | Date 03/28/23 | Page 5 of 7 |
| Document Approved By: | Title | Name | Date Approved |
| Document Approved By. | Engineering Manager | Jerry Jenkins | 03/28/23 |

| Specification | Description | Approved Revision |
|--|--|----------------------|
| MIL-T-6736 | Tubing, Chrome-Molybdenum 4130 Steel | C or later |
| MIL-W-83420 (Superseded by MIL-DTL- 83420) | Wire Rope, Flexible, for Aircraft Control, General Specification for | M or later |
| MIL-W-87161 (Superseded by MIL-DTL- 87161) | Wire Strand, Nonflexible for Aircraft Application | E or later |
| NEMA-WC27500 | Standard for Aerospace and Industrial Electrical Cable. | 2015 or later |
| AMS-QQ-A-200/8 (Superseded by AMS4150, AMS4173) | 6061-T6, 6061-T6511 Aluminum Alloy, Extruded Bar and Rod | A or later |
| AMS-QQ-A-200/11 | 7075-T7351 Aluminum Alloy, Extruded bar, rod, and shapes | A or later |
| AMS-QQ-A-225/8 | 6061-T6 Aluminum Alloy, Rolled Bar and Rod | B or later |
| AMS-QQ-A-225/9 | 7075-T7351 Aluminum, Rolled Bar and Rod | A or later |
| AMS-QQ-A-250/8 | 5052-H32 Aluminum Alloy, Sheet and Plate | C or later |
| AMS-QQ-A-250/11 (Superseded by AMS4027, ASTM B209) | 6061-T6, Aluminum Alloy, Sheet and Plate | A or later |
| AMS-QQ A-250/12 | 7075-T7351 Aluminum Alloy, Sheet and Plate | A or later |
| AMS-QQ A-250/24 | 7075-T7351 Aluminum Alloy, Sheet and Plate | B or later |
| AMS 4016 | 5052-H32 Aluminum Alloy, Sheet and Plate | M or later |
| AMS 4025 | 6061-T651 Aluminum Alloy, Sheet and Plate | M or later |
| AMS 4026 | 6061-T6 Aluminum Alloy, sheet and plate | M or later |
| AMS 4027 | 6061-T6 Aluminum Alloy, sheet and plate | M or later |
| AMS 4044 | 7075-T7351 Aluminum (bare sheet and plate) | M or later |

| ENBOARD SYSTEMS | Material and Process Specifications | Document Number 146-067-00 | Revision 3 |
|-----------------------|--|-------------------------------|----------------|
| | | Date 03/28/23 | Page 6 of 7 |
| Document Approved By: | Title | Name | Date Approved |
| | Engineering Manager | Jerry Jenkins | 03/28/23 |

| Specification | Description | Approved Revision |
|---------------|--|----------------------|
| AMS 4049 | 7075-T7351 Aluminum (bar and rod, rolled or cold finished) | L or later |
| AMS 4078 | 7075-T73, 7075-T7351 Aluminum (bare sheet and plate) | J or later |
| AMS 4122 | 7075-T6, 7075-T651 Aluminum (bar and rod, rolled or cold finished) | L or later |
| AMS 4124 | 7075-T73, 7075-T7351 Aluminum (bar and rod, rolled or cold finished) | E or later |
| AMS 4173 | 6061-T6511 Aluminum Alloy, Extrusions | F or later |
| AMS 4597 | Copper-Nickel-Tin Alloy, Bars and Rods | A or later |
| AMS 4640 | Aluminum Nickel Bronze (bars, rods, shapes, tubes, forging) drawn and stress relieved of temper annealed | H or later |
| AMS 4880 | Aluminum Nickel Bronze (bars, rods, shapes, tubes, forging) drawn and stress relieved of temper annealed | D or later |
| AMS 5518 | Steel, Corrosion Resistant, Sheet and Strip 18Cr - 8Ni Cold Rolled | L or later |
| AMS 5629 | PH13-8Mo Stainless Steel | G or later |
| AMS 5643 | 17-4 PH Stainless Steel (bar, forging, ring, and extrusion) | T or later |
| AMS 5659 | 15-5 PH Stainless Steel (bar, forging, ring, and extrusion) | P or later |
| AMS 5862 | 15-5 PH Stainless Steel (sheet, strip, and plate) | K or later |
| AMS 6345 | 4130 Alloy Steel | C or later |
| AMS 6346 | 4130 Alloy Steel | B or later |
| AMS 6348 | 4130 Alloy Steel | D or later |
| AMS 6349 | 4140 Alloy Steel | D or later |
| AMS 6350 | 4130 Alloy Steel | M or later |
| AMS 6351 | 4130 Alloy Steel | J or later |

| | Material and Process Specifications | Document Number 146-067-00 | Revision 3 |
|-----------------------|--|-------------------------------|----------------|
| SYSTEMS | | Date 03/28/23 | Page 7 of 7 |
| Document Approved By: | Title | Name | Date Approved |
| | Engineering Manager | Jerry Jenkins | 03/28/23 |

| Specification | Description | Approved Revision |
|---------------|--|----------------------|
| AMS 6370 | 4130 Alloy Steel | N or later |
| AMS 6382 | 4140 Alloy Steel | N or later |
| AMS 6414 | 4340 Alloy Steel, Consumable Electrode Melted (bar, forging, and tubing) | L or later |
| AMS 6415 | 4340 Steel, Air Melted (bar, forging, and tubing) | T or later |
| AMS 6528 | 4130 Alloy Steel | C or later |
| SAE-J230 | Stainless Steel, SAE 30302, Spring Wire and Springs | 1994 or later |

These specifications are sometimes denoted with the SAE prefix. For example, AMS 5862 is considered an equivalent reference to SAE-AMS 5862.